Work Orde January 11, 2010	er ID 55196 0 1:05:25 PM											Page 1
Item ID: Revision ID:	D4027-3		A	ccept					Setup	Start		
,	Hose Clamp									Stop		
Start Date: Required Date: Reference:		art Qty: 10.00 eq'd Qty: 10.00			Cust Item I	ID:						
Approvals:	Process Plan: _ QC:	$\mathcal{N}$	Date:	Tooling: SPC (Y/N):		ate:		]	Run	Start Stop		1112   111   111   111   1111   111   111   111
Sequence ID/ Work Center II		eration scription		Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Rej Qty		Reject Number	Insp. Stamp
Draw Nbr	Revision	n Nbr						- <u> </u>				
D4027	A-PREL	IM										
100 Purchasing		Мето		0.00				cX	, 	0/01(1	′(	(ro)
Purchasing		Possible Sup	The sper Dwg D4027 as per Dwg D4027 by S 100 M 36 S poplier: Breeze ease note required									·
	Rec	ceive & Inspect for Da	amage & Mat'l Certs	0.00					/-		/1 /1	9 (12)
Packaging		Memo	•	0.00					<u> _                                   </u>	-0	141/	

Packaging

PRELIMINARY ISSUE

W/O:			WO	RK ORDER CHANG	iES				
DATE	STEP	PRO	PROCEDURE CHANGE			Date	e Qty	Qty Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		PAR #:	Fault Cated	orv:	NCR: Ye	es No	DQA:	Date:	
		olution:							
NCR:		,	WORK ORDE	R NON-CONFORM	ANCE (N	CR)			
DATE	STEP Description of NC Section A		NC Corrective Action Initial Action Descri		Section B  ption Sign & Date		erification Section C	Approval Chief Eng	Approval QC Inspector

January 11, 2010 1:05:25 PM

Item ID:

D4027-3

**Revision ID:** 

Item Name: Hose Clamp

**Start Date:** Required Date: 1/29/10

1/11/10

**Start Qty: 10.00** 

Req'd Qty: 10.00



Accept



Setup Start



Stop

Reference:

**Approvals:** 

Process Plan: \_\_\_\_\_

Date: \_\_\_\_\_

Tooling: Date:

SPC (Y/N):

0.00

Date:

Cust Item ID:

**Customer:** 

Run

**Qty** 

Start Stop



Sequence ID/ Work Center ID

120

Quality Control

Operation Description

QC6- Inspect dimensions to drawing

Memo

Memo

Memo

Set Up/ **Run Hours**  Draw Number

Draw Rev.

Date:

Plan Code

Accept Qty

Reject Reject

Insp. Number Stamp

870 Fer move steps

=> Sulodos

130

Packaging

Packaging

Identify as per dwg & Stock Location: 45

0.00

0.00

140

Quality Control

QC21- Final Inspection - Work Order Release

0.00

35-001 BTAO -

W/O:		WORK ORDER CHANGES									
DATE STEP		PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
	120	Drill hole per ovoning.	ml	140825	(8×	Ksun	1007-76				
	122	Add to I.P. perm change	2	wholes	45	Posiun	Jours				

Part No:		PAR #:	Fault Category:	 NCR: Yes No	DQA:	Date:	_
	Resolution:		Disposition:	QA: N/C Closed	:	Date:	

NCR:			WORK ORDER NON-CONFORMANCE (NCR)											
		Description of NC	1	Corrective Action Section B	Verification	Approval	Approval							
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector						
						;								
					,									
	ŀ					:	<u> </u>							

**Picklist Print** 

January 11, 2010 1:05:25 PM

Work Order ID: 55196

Parent Item: D4027-3

Parent Item Name: Hose Clamp

Comments: IPP rev A 09.12.23 new Issue Prelim EC verified by: DD

**Start Date:** 1/11/10 **Start Qty:** 10.00

Required Date: 1/29/10

Page 1

Required Qty: 10.00

Component Item ID/	Replacement	Mfg/	Bin	Primary	Last	Route	Unit of	Qty on	Remaining	Qty	Date	Status
Item Name	Item ID	Purch	Item	Location	Location	Seq ID	Measure	Hand	Qty To Pick	Issued	Issued	
200-36		Purchased	No		1,9, -9, -1,	100	Each	0.0000	10.0000	Pustales	. 18.4 944 - 14.4 - 14.4 - 14.4	


Hose Clamp


<b>D</b> a. ( 7 (0.	oopaoo	, E.u								
W/O:			W	ORK ORDER CHAI	NGES					
DATE	STEP	PRO	CEDURE CH	ANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No:										
			<del></del>							
Part No	•	PAR #:	Fault Ca	tegory:	NCF	R: Yes N	lo <b>DQ</b>	<b>A</b> :	Date:	<del></del>
Resolution:		esolution:	Disposit	ion:	QA:	N/C Clo	sed:		Date:	
NCR:		1	WORK ORDER NON-CONFOR							
DATE	STEP	Description of NC Section A	Corrective Action Initial Action Descript		Section B	n Sign &		cation on C	Approval Chief Eng	Approval QC Inspector
			Chief Eng	Chief Eng		Date				
					i i					
					;					

DART AEROSPACE PART NUMBER	JOHN CAMERON AVIATION PART NUMBER
D4027-1	REF JCA-M47-2-20
D4027-3	REF JCA-M47-2-35


# SPECIFICATION CONTROL DRAWING











DART PART NUMBER	SUPPLIER	SUPPLIER PART NUMBER	MATERIAL	HOLE DIAMETER	JOHN CAMERON AVIATION PART NUMBER	
D4027-1	BREEZE	200-56S	STAINLESS STEEL	0.138	REF JCA-M47-2-20	1
 	BREEZE	200-368	STAINLESS STEEL	0.138	REF JCA-M47-2-35	†

## D4027-X HOSE CLAMP

# PRELIMINARY

ISSUE


1	NOTES:	DRAWN	<b>3</b> 5.	HAWKESBURY,
١	NOTES: 1) MATERIAL: SEE TABLE	CHECKED		DRAWING NO.
ł	2) FINISH: N/A 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED	MFG. APPR.		D4027
Ų	4) UNITS: INCHES UNLESS OTHERWISE NOTED	APPROVED		TITLE
1	5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4027-X" AND B/N USING FINE POINT PERMANENT INK MARKER	DE APPR.		HOSE CLAMP
	7) WEIGHT: 0.01 lbs	DATE 09.1	1 04	COPYRIGHT © 2008 F
١	8) DRILL Ø 0.138 HOLE AS SHOWN OPPOSITE WORM DRIVE SCREW, DIMPLE HOLE FOR MS24693S28 SCREW	03.1	1,0-1	HOT TO BE USED FOR AIM PURPOSE OR COPIES WRITTEN PERVISSION


DESIGN	DAKI AEKOSPA	
DRAWN	HAWKESBURY, ONTARIO	O, CANADA
CHECKED	DRAWING NO.	REV. A
MFG. APPR.	D4027	SHEET 3 OF 6
APPROVED	TITLE	SCALE
DE APPR.	HOSE CLAMP	NTS
DATE 09.11.04	THIS DOCUMENT IS PRIVATE AND CONTRIBUTE A THIS DOCUMENT IS PRIVATE AND CONTRIBUTE A THIS IS SUPPLIED FOR THE PURPLES OF COMPANY OF THE PRIVATE OF THE PRIVAT	ON THE EXPRESS CONDITION THAT IT IS ITED TO ANY OTHER PERSON WITHOUT

W/O:			WO	RK ORDER CHANG	ES	<del>.</del>			
DATE	STEP	PRO	PROCEDURE CHANGE				Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No		PAR #:							
Res		solution:	Disposition	:	QA: N/C	Closed:		Date: _	
NCR:			WORK ORDER NON-CONFORMANC						
DATE	STEP	Description of NC	Corrective Action Initial Action Descripti		ion B Sigr		cation	Approval	Approval
		Section A	Chief Eng	Chief Eng	Dat		ion C	Chief Eng	QC Inspector
								į	
!	1		1		İ	1		1	I

1 X D4027-04		PART NUMBER	DESCRIPTION	JOHN CAMERON AVIATION
				PART NUMBER
		D4027-041	HOSE CLAMP ASSEMBLY	JCA-M47-2-20
2	1	D4027-1	HOSE CLAMP	
3	1	D4027-5	RUBBER CUSHION	
4	1	D4027-9	BRACKET, SUPPORT ANGLE	
5	1	MS24693S28	SCREW	
6	1	MS21042L06	NUT	
7	1	NAS1149DN632J	WASHER	







# PRELIMINARY ISSUE

Α	NEW ISSUE		AL	09.11.04		
REV.		DESCRIPTION	BY	DATE		
DESIG DRAW		, I	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHECKED MFG. APPR.		DRAWING NO.		REV. A		
		D4027		SHEET 1 OF 6		
APPROVED		TITLE		SCALE		
DE APPR.		HOSE CLAMP	HOSE CLAMP			
DATE 09.11.04		THIS DOCUMENT IS PRIVATE AND CONFIDENTIA NOT TO BE USED FOR ANY PURPOSE OR COPI		SS CONDITION THAT IT IS		

NOTES:
1) MATERIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4027-041" AND B/N USING FINE POINT PERMANENT INK MARKER
73 MEIGHT: 0.02 INC.


7) WEIGHT: UZZIUS 8) ATTACH D4027-9 BRACKET USING MS24693S28 SCREW, MS21042L06 NUT AND NAS1149FN632F WASHER 9) GLUE D4027-5 RUBBER CUSHION TO D4027-1 CLAMP USING 3M CONTACT CEMENT IN POSITION AS SHOWN


2

W/O:			WC	ORK ORDER CHANC	SES					
DATE	STEP	PRO	PROCEDURE CHANGE B			у	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									i i	
					ļ					
					i i					
Part No	•	PAR #:	Fault Cate	gory:	_ NCR:	Yes N	o <b>DQ</b>	<b>A</b> :	Date:	
	R	esolution:	Disposition	n:	QA: N	C Clos	sed:		Date: _	
NCR:			WORK ORDI	ER NON-CONFORM	ANCE (I	NCR)				
DATE	STEP	Description of NC			tion B	Verific		ation	Approval	Approval
DAIL	JILF	Section A	Initial Chief Eng	Action Description Chief Eng		ign & Date	Section	on C	Chief Eng	QC Inspector
										i
									į į	
									į 	

ITEM NO.	QTY.	PART NUMBER	DESCRIPTION	JOHN CAMERON AVIATION
112	-043	TAKT NOMBER	BESCRIPTION	PART NUMBER
11	X	D4027-043	HOSE CLAMP ASSEMBLY	JCA-M47-2-35
2	1	D4027-3	HOSE CLAMP	
3	1	D4027-7	RUBBER CUSHION	
4	1	D4027-9	BRACKET, SUPPORT CLAMP	
5	1	MS24693S28	SCREW	
6	1	MS21042L06	NUT	
7	1	NAS1149DN632J	WASHER	







**D4027-043 HOSE CLAMP ASSEMBLY** 

# PRELIMINAR ISSUE

NOTES:
1) MATÉRIAL: N/A
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4027-041" AND B/N USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: 0.02 lbs
8) ATTACH D4027-9 BRACKET USING MS24693S28 SCREW, MS21042L06 NUT AND NAS1149FN632F WASHER
9) GLUE DA027-7 RUBBER CUSHION TO DA027-3 CLAMP USING 3M CONTACT CEMENT IN DOSITION AS SHOWN

DESIGN	DART AEROSPA	DART AEROSPACE LTD				
DRAWN	HAWKESBURY, ONTARIO, CANADA					
CHECKED	DRAWING NO.	REV. A				
MFG. APPR.	D4027	SHEET 2 OF 6				
APPROVED	TITLE	SCALE				
DE APPR.	HOSE CLAMP	NTS				
DATE 09.11.04	COPYRIGHT © 2009 BY DART AS THIS OCCURRENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED NOT TO BE USED FOR AIM PURPLIED OF COMMANICA WARTES! PERMASSION TOWN DAY TAKEN	THE EXPRESS CONDITION THAT IT IS THORITON WAS PERFORMED WAS OF				

Dart Aerospac	e l	Ltd
---------------	-----	-----

W/O:			WO	RK ORDER CHANG	GES		······································		
DATE	STEP	PRO	PROCEDURE CHANGE			Dat	te Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		124		79 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1				t	
	-								
Part No	•	PAR #:	Fault Categ	jory:	NCR: Ye	s No	DQA:	Date: _	
	Res	solution:	Disposition	ı:	QA: N/C Closed: Date:				
NCR:			WORK ORDE	R NON-CONFORM	ANCE (NO	CR)			
DATE	STEP	Description of NC		Corrective Action Section B		Verifica			Approval
	· · · ·	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Section C  Date		Section C	Chief Eng	QC Inspector
							!		
_	-								
,									
						]			



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

#### \*\*\*PO REPRINT\*\*\*

### Purchase Order ID PO11082

Purchase Order Date 1/11/10 PO Print Date 1/11/10

Page Number 1 of 1

From:

**IALL BOX 9534 STATION A** RONTO, ON M5W 2K3 VC-AVI001

ct Name

or Fax

905 676 1695 or Phone

905 676 9046

or Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

**Terms** CAD

Currency

**FOB** 

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

r Reference Revision ID Vendor Part Number	Description/ Mfg ID		Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
200-56S	Hose Clamp		1/29/10	10.00	FedEx PI ppd	\$5.0800	\$50.80
			Yes	Each			
		Special Inst:	PRELIM B55195	G D4027 REV. A- N: 200-56S OR			
(200-368	Hose Clamp		1/29/10	10.00	FedEx PI ppd	\$2.2400	\$22.40
			Yes	Each			
		Special Inst:	PRELIM B55196	G D4027 REV. A- N: 200-36S OR			
			Q020011300	•	PO	Total:	\$73.20





No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

ge Nbr:

3

Change Date: 1/11/10

**Customs Invoice** 

**REQUISITION: 869673** 

From Company: 1 From Location: 08200 REQUESTER: 22611 For: 34170

MCCLELLAND, LAURA

**Deliver Sequence:** DART AEROSPACE

1270 ABERDEEN STREET

HAWKESBURY ONTARIO KLA 1K7

CANADA

ATTN: BRIDGETTE PH: 613-632-9577

Requested Delivery Date: 01/18/10

F1-40-15 Deliver To:

0869673000 Document:

Received by

Ext Amt Backorder Open Shipped Ordered ITEM DESCRIPTION FED X P1 COLLECT ON CUSTOMER ACCT 1517-9324-0. SHIP DIRECT TO DART AEROSPACE, 1270 ABERDEEN STREET, HAWKESBURY ONTARIO K6A 1K7 ATTN: BRIDGETTE PHONE: 613-632-9577 117.1720 10 10 EA 1 28 20056S 5381192 Shp#: (10/20)CLAMP SLOT Schedule B: 8803300010 10 LOT 1008068858 51.6780 10 28 20036S 5381192 Shp#: CLAMP S (10/30)Schedule B: 8803300010 LOT 0308914587 168.8500 TOTAL

CERTIFICATE OF CONFORMANCE

As the Quality Manager of Aviall, I hereby certify that we are an approved distributor and meet all requirements of ISO 9001-2000 and AC00-56, at 2750 Regent Blvd. DFW Airport, Texas. The part(s) on this document are in new or newly overhauled condition and were purchased from an approved source (FAA, Mil Spec. or Commercial). The Original Manufacturers' Certifications are maintained on file at our central document are available upon request. On newly overhauled or repaired products, the original FAA 8130-3 (return to service) or yellow tag, from the FAA approved overhaul shop, are attached to the component.

Dave Toylor

Dave Taylor, Manager, Quality

01/18/10


These Commodities, Technologies or Software were exported from the United States in accordance with the export administration regulations. Diversion contrary to U.S. law is prohibited. The items may not be used directly or indirectly, in prohibited nuclear, chemical, biological or missle weapon activities.


DART AEROSPACE PART NUMBER JOHN CAMERON AVIATION PART NUMBER REF JCA-M47-2-35 ,D4027-3



D

В





#### D4027-3 HOSE CLAMP

W10 55 196

DESIGN	SE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWN	AL.				
CHECKED	B	DRAWING NO.	REV. A		
MFG. APPR.	E	D4027	SHEET 4 OF 7		
APPROVED	10	TITLE	SCALE		
DE APPR.		CLAMP	NTS		
DATE 10.0	4.16	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND NOT TO BE USED FOR ANY PURPOSE OR COPIED O	Y DART AEROSPACE LTD  10 IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  R COMMUNICATED TO ANY OTHER PERSON WITHOUT		

NOTES:
1) MATERIAL: MADE FROM QS200M36S
2) FINISH: N.Y.
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION; IDENTIFY WITH DART P/N "D4027-3" AND B/N USING FINE POINT PERMANENT INK MARKER
7) WEIGHT: 0.05 lbs
8) DRILL \$\phi\_0.140\$ HOLE AS SHOWN OPPOSITE WORM DRIVE SCREW, DIMPLE HOLE FROM INSIDE FOR MS24693S28 SCREW

8

6

3

2